




VISHAY INTERTECHNOLOGY, INC.



## SINGLE-TURN, MULTI-TURN AND SMD CERMET TRIMMERS

Vishay Sfernice

63  
T7  
T73  
T12  
P8  
43  
T18  
64  
T93  
T63  
TS5  
TS53  
TS6  
TS63  
TSM4  
TSM43  
TS3



# Cermet Trimmers

Vishay Sfernice








## Single-Turn Cermet Trimmers

Model	63	T7	T73	T12	P8P
Package Size	10 mm (3/8") square	7 mm (1/4") diameter	6.35 mm (1/4") square	12 mm (1/2") square	8.5 mm (1/3") diameter
Resistance Range (ohms)	10 to 2 M $\Omega$	10 to 2.2 M $\Omega$	10 to 2 M $\Omega$	22 to 10 M $\Omega$	10 to 2.2 M $\Omega$
Standard Resistance Tolerance	$\pm 10\%$	$\pm 20\%$	$\pm 10\%$	$\pm 20\%$	$\pm 10\%$
TC (ppm/ $^{\circ}$ C) > 100 $\Omega$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 100$
Power Rating	0.5 W at 70 $^{\circ}$ C	0.5 W at 85 $^{\circ}$ C	0.5 W at 70 $^{\circ}$ C	1 W at 70 $^{\circ}$ C	0.5 W at 70 $^{\circ}$ C
Electrical Travel	270 $^{\circ}$	270 $^{\circ}$	240 $^{\circ}$	270 $^{\circ}$	250 $^{\circ}$
Contact Resistance Variation (CRV)	1 % or 1 $\Omega$	3 % or 3 $\Omega$	1 % or 3 $\Omega$	3 % or 3 $\Omega$	2 % or 1 $\Omega$
Mechanical Life	200 cycles	200 cycles	200 cycles	200 cycles	200 cycles
Operating Temperature	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C
Features and Packaging	Top adjust, side adjust, knob adjust, extended rotor, box	Top adjust, box, or tube	Top adjust, side adjust, tubes, tape and reel	Locking device, log law, box	Top adjust, side adjust, panel sealed, panel mount with solder lugs, box










## Multi-Turn Cermet Trimmers

Model	43 	T18 	64 	T93 	T63 
Package Size	19 mm (3/4") square	19 mm (3/4") diameter	10 mm (3/8") square	10 mm (3/8") square	6.35 mm (1/4") diameter
Resistance Range (ohms)	10 to 2.2 M $\Omega$	10 to 2.2 M $\Omega$	10 to 2.2 M $\Omega$	10 to 2.2 M $\Omega$	10 to 2.2 M $\Omega$
Standard Resistance Tolerance	$\pm 10\%$	$\pm 10\%$	$\pm 10\%$	$\pm 10\%$	$\pm 10\%$
TC (ppm/ $^{\circ}$ C) > 100 $\Omega$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 100$
Power Rating	0.5 W at 70 $^{\circ}$ C	0.5 W at 70 $^{\circ}$ C	0.5 W at 70 $^{\circ}$ C	0.5 W at 70 $^{\circ}$ C	0.25 W at 85 $^{\circ}$ C
Mechanical Travel	18 turns	18 turns	23 turns	23 turns	15 turns
Contact Resistance Variation (CRV)	2 % or 1 $\Omega$	2 % or 1 $\Omega$	2 % or 2 $\Omega$	2 % or 2 $\Omega$	2 % or 2 $\Omega$
Mechanical Life	200 cycles	200 cycles	200 cycles	200 cycles	200 cycles
Operating Temperature	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C
Features and Packaging	Panel mount, tube	Panel mount, tube	Tube, custom screw on request	Tube, custom screw on request	Tube, custom screw on request



## SMD Cermet Trimmers

	TS5	TS53	TS6	TS63	TSM4	TSM43	TS3
Model							
Package Size	5 mm (3/4")	5 mm (3/4")	6.85 mm (3/8")	6.85 mm (3/8")	5 mm (13/64")	5 mm (13/64")	3.2 mm (1/8")
Grade	Military and Professional	Industrial	Military and Professional	Industrial	Military and Professional	Industrial	Industrial
Resistance Range (ohms)	10 to 1 M $\Omega$	10 to 1 M $\Omega$	10 to 2 M $\Omega$	10 to 2 M $\Omega$	10 to 1 M $\Omega$	10 to 2 M $\Omega$	10 to 2 M $\Omega$
Standard Resistance Tolerance	$\pm 10 \%$	$\pm 20 \%$	$\pm 10 \%$	$\pm 10 \%$	$\pm 10 \%$	$\pm 10 \%$	$\pm 20 \%$
TC (ppm/ $^{\circ}$ C) > 100 $\Omega$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 100$	$\pm 150$
Power Rating	0.25 W at 70 $^{\circ}$ C	0.25 W at 70 $^{\circ}$ C	0.25 W at 85 $^{\circ}$ C	0.25 W at 85 $^{\circ}$ C	0.25 W at 85 $^{\circ}$ C	0.25 W at 85 $^{\circ}$ C	0.125 W at 70 $^{\circ}$ C
Mechanical Travel	270 $^{\circ}$	270 $^{\circ}$	15 turns	15 turns	13 turns	13 turns	250 $^{\circ}$
Contact Resistance Variation (CRV)	1 % or 3 $\Omega$	1 % or 3 $\Omega$	2 % or 2 $\Omega$	2 % or 2 $\Omega$	2 % or 3 $\Omega$	1 % or 3 $\Omega$	3 % or 3 $\Omega$
Mechanical Life	100 cycles	100 cycles	200 cycles	200 cycles	100 cycles	100 cycles	50 cycles
Operating Temperature	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C	- 55 $^{\circ}$ C to + 125 $^{\circ}$ C
Features and Packaging	J-hook and gull wing, tape and reel	J-hook and gull wing, tape and reel	Tube, tape and reel	Tube, tape and reel	J-hook and gull wing, top adjust, side adjust, tape and reel	J-hook and gull wing, top adjust, side adjust, tape and reel	Tape and reel



# Cermet Trimmers

Vishay Sfernice



## Single-Turn Cermet Trimmers

- Various electrical travel
- Top and side adjust versions
- 10  $\Omega$  to 10 M $\Omega$  resistance range
- Various pin styles
- Tube, tape and reel options

## Multi-Turn Cermet Trimmers

- Various electrical travel
- Top and side adjust versions
- 10  $\Omega$  to 2.2 M $\Omega$  resistance range
- Tube packaging

## SMD Cermet Trimmers

- Military and professional grade
- Multi-turn and single-turn options
- Fully-sealed trimmers
- Tape and reel, tube packaging

**SEMICONDUCTORS:**

Rectifiers • Small-Signal Diodes • Zener and Suppressor Diodes • MOSFETs  
• RF Transistors • Optoelectronics • ICs

**PASSIVE COMPONENTS:**

Resistive Products • Magnetics • Capacitors • Strain Gage Transducers and  
Stress Analysis Systems



**One of the World's Largest  
Manufacturers**  
of Discrete Semiconductors and Passive Components

WORLDWIDE SALES CONTACTS

**THE AMERICAS**

**UNITED STATES**

VISHAY AMERICAS  
ONE GREENWICH PLACE  
SHELTON, CT 06484  
UNITED STATES  
PH: +1-402-563-6866  
FAX: +1-402-563-6296

**ASIA**

**SINGAPORE**

VISHAY INTERTECHNOLOGY  
ASIA PTE LTD.  
25 TAMPINES STREET 92  
KEPPEL BUILDING #02-00  
SINGAPORE 528877  
PH: +65-6788-6668  
FAX: +65-6788-0988

**P.R.C.**

VISHAY TRADING (SHANGHAI) CO., LTD.  
(SHANGHAI REPRESENTATIVE OFFICE)  
ROOM D, 15F, SUN TONG INFOPORT PLAZA  
55 HUAI HAI WEST ROAD  
200030 SHANGHAI  
P.R.C.  
PH: +86-21-5258-5000  
FAX: +86-21-5258-7979

**JAPAN**

VISHAY JAPAN CO., LTD.  
SHIBUYA 3-CHOME SQUARE BUILDING 3F  
3-5-16 SHIBUYA  
SHIBUYA-KU  
TOKYO 150-0002  
JAPAN  
PH: +81-3-5464-6411  
FAX: +81-3-5464-6433

**EUROPE**

**GERMANY**

VISHAY EUROPE SALES GMBH  
GEHEIMRAT-ROSENTHAL-STR. 100  
95100 SELB  
GERMANY  
PH: +49-9287-71-0  
FAX: +49-9287-70435

**FRANCE**

VISHAY S.A.  
199, BLVD DE LA MADELEINE  
06003 NICE, CEDEX 1  
FRANCE  
PH: +33-4-9337-2920  
FAX: +33-4-9337-2997

**NETHERLANDS**

VISHAY BCCOMPONENTS B.V.  
HURKESTRAAT 31  
P.O. BOX 8766  
5652 AH EINDHOVEN  
NETHERLANDS  
PH: +31-40-2590-700  
FAX: +31-40-2590-777